The Handy Bt Trait Table

for U.S. Corn Production

The latest version of this document is always posted at

https://www.texasinsects.org/bt-corn-trait-table.html
For questions & corrections: Chris DiFonzo, Michigan State Univ., difonzo@msu.edu
Contributor: Pat Porter, Texas A&M University (southern version of the table)

Updated November 2018

Most corn hybrids planted in the U.S. have transgenic traits for insect management. The Handy Bt Trait Table provides a helpful list of trait names (below) and details of trait packages (over) to make it easier to understand company seed guides, sales materials, and bag tags.

New for 2019

- ✓ Recent mergers resulted in name changes for several seed companies. While your local seed rep may have a new business card, the names of trait packages remain the same, listed alphabetically on page 2.
- ✓ Bt Resistance is arguably the most important issue facing growers, extension entomologists, and seed company agronomists. Problems continue to increase in regions where field failures were already found, and new cases of resistance are reported every season. To date, resistance is confirmed to all Bt toxins targeting western corn rootworm, particularly in the central corn belt. In the southern states, corn earworm and fall armyworm resistance is expanding, while Cry1F no longer controls western bean cutworm in the Great Lakes region. These species were once secondary to European corn borer in importance, but now they are of primary concern for many growers. It is critical to be up-to-date on resistance development in your local area so that you know the limitations of the Bt traits you plant.

Field corn 'events' (transformations of one or more genes) and their Trade Names

Trade name for trait	Event	Protein(s) expressed	Primary Insect Targets + Herbicide tolerance					
Agrisure CB/LL	Bt11	Cry1Ab + <i>PAT</i>	corn borer + glufosinate					
Agrisure Duracade	5307	eCry3.1Ab	rootworm					
Agrisure GT	GA21	EPSPS	glyphosate					
Agrisure RW	MIR604	mCry3A	rootworm					
Agrisure Viptera	MIR162	Vip3A	broad caterpillar control, except for corn borer					
Enlist	DAS40278	aad-1	2,4-D herbicide detoxification					
Herculex I (HXI) or CB	TC1507	Cry1Fa2 + PAT	corn borer + glufosinate					
Herculex CRW	DAS-59122-7	Cry34Ab1/Cry35Ab1 + <i>PAT</i>	rootworm + glufosinate					
(None – part of Qrome)	DP-4114	Cry1F + Cry34Ab1/Cry35Ab1 + <i>PAT</i>	corn borer + rootworm + glufosinate					
Roundup Ready 2	NK603	EPSPS	glyphosate					
Yieldgard Corn Borer	MON810	Cry1Ab	corn borer					
Yieldgard Rootworm	MON863	Cry3Bb1	rootworm					
Yieldgard VT Pro	MON89034	Cry1A.105 + Cry2Ab2	corn borer & several caterpillar species					
Yieldgard VT Rootworm	MON88017	Cry3Bb1 + EPSPS	rootworm + glyphosate					

Abbreviations used in the Trait Table

чerb	ICIC	le t	<u>:ra</u>	<u>ITS</u>

GT glyphosate tolerant

LL Liberty Link - *glufosinate-tolerant*

RR2 Roundup Ready 2, glyphosate-tolerant

Insect targets

BCW black cutworm SB stalk borer
CEW corn earworm SCB sugarcane borer

CRW corn rootworm SWCB southwestern corn borer

ECB European corn borer TAW true armyworm

FAW fall armyworm WBC western bean cutworm

The Handy Bt Trait Table for U.S. Corn Production, updated November 2018															
									ol c				Herb	<u>icide</u>	
Trait la Coulo								S				Insects resistant to	tra	ait_	
Tra VOID	Bt protein(s) in	В	С	Ε	F		S	w	Т	W	С	the combination of			Non-Bt
	the trait package	С	Ε	С	Α	S	С	С	Α	В	R	Bt proteins in the	GT		Refuge %
(ackonym)		W	W	В	W	В	В	В	W	С	W	trait package	RR2	LL	(cornbelt)
AcreMax (AM)	Cry1Ab Cry1F	х		Х	Х	х	Х	х				FAW WBC	Х	Х	5% in bag
AcreMax CRW (AMRW)	Cry34/35Ab1										Х	CRW	Х	Х	10% in bag
AcreMax1 (AM1)	Cry1F Cry34/35Ab1	Х		Х	Х	х	Х	х			Х	FAW SWCB WBC	Х	Х	10% in bag
												CRW			20% ECB
AcreMax Leptra (AML)	Cry1Ab Cry1F Vip3A	Х	Х	Х	Х	Х	Х	х	Х	Х			Х	Х	5% in bag
AcreMax TRIsect	Cry1Ab Cry1F	х		Х	Х	х	Х	х			Х	FAW WBC CRW	Х	Х	10% in bag
(AMT)	mCry3A														
AcreMax Xtra	Cry1Ab Cry1F	Х		Х	Х	Х	Х	Х			Х	FAW WBC CRW	Х	Х	10% in bag
(AMX)	Cry34/35Ab1							<u> </u>							
AcreMax Xtreme	Cry1Ab Cry1F	Х		Х	Х	Х	Х	Х			Х	FAW WBC CRW	Х	Х	5% in bag
(AMXT)	mCry3A Cry34/35Ab1						_	<u> </u>							200/
Agrisure 3010 and 3010A	Cry1Ab			Х				Х					Х	Х	20%
Agrisure 3000GT and 3011A	Cry1Ab mCry3A			Х			Х	Х			Х	CRW	Х	Х	20%
Agrisure Viptera 3110	Cry1Ab Vip3A	Х	Х	Х	Х	х	Х	х	Х	Х			Х	Х	20%
Agrisure Viptera 3111	Cry1Ab Vip3A mCry3A	х	Х	Х	Х	х	Х	х	Х	Х	Х	CRW	Х	Х	20%
Agrisure	Cry1Ab Cry1F	х		Х	Х	х	Х	х				FAW WBC	Х		5% in bag
3120 E-Z Refuge														See	
Agrisure	Cry1Ab Cry1F	х		Х	Х	х	Х	х			Х	FAW WBC CRW	Х	bag	5% in bag
3122 EZ Refuge	mCry3A Cry34/35Ab1													tag for	
Agrisure Viptera	Cry1Ab Cry1F Vip3A	х	Х	Х	Х	х	х	х	Х	х			Х	code	5% in bag
3220 E-Z Refuge															
Agrisure Viptera	Cry1Ab Vip3A	Х	Х	Х	Х	Х	Х	Х	Х	Х			Х	EZ0	5% in bag
3330 E-Z Refuge	Cry1A.105 + Cry2Ab2						_	_						NO	
Agrisure Duracade	Cry1Ab Cry1F	х		Х	Х	Х	Х	Х			Х	FAW WBC	Х	EZ1	5% in bag
5122 E-Z Refuge	mCry3A eCry3.1Ab	<u> </u>					_	<u> </u>				CRW		YES	
Agrisure Duracade	Cry1Ab Cry1F Vip3A	X	Х	Х	Х	Х	Х	Х	Х	Х	Х	CRW	Х		5% in bag
5222 E-Z Refuge Herculex I (HXI)	mCry3A eCry3.1Ab Cry1F	х					· ·	<u> </u>				FAW SWCB WBC	· ·	· ·	20%
Herculex RW (HXRW)	Cry34/35Ab1	<u> </u>		Х	Х	Х	X				Х	CRW	X	X X	20%
Herculex XTRA (HXX)	Cry1F Cry34/35Ab1	х		~	Х		v	V			X	FAW SWCB WBC	X	X	20%
THE ECONOMIC TOTAL	Ciyii Ciyo+/oo/loi	^		^	^	^	^	 ^			^	CRW	^	^	2070
Intrasect (YHR)	Cry1Ab Cry1F	х		Х	Х	х	Х	х				FAW WBC	Х	Х	5%
,															
Intrasect TRIsect (CYHR)	Cry1Ab Cry1F	х		х	Х	х	Х	х			Х	FAW WBC CRW	Х	Х	20%
	mCry3A														
Intrasect Xtra (YXR)	Cry1Ab Cry1F	х		Х	Х	х	Х	х			Х	FAW WBC CRW	Х	Х	20%
	Cry34/35Ab1														
Intrasect Xtreme (CYXR)	Cry1Ab Cry1F	х		Х	Х	Х	Х	Х			Х	FAW WBC CRW	Х	Х	5%
	mCry3A Cry34/35Ab1														
Leptra (VYHR)	Cry1Ab Cry1F Vip3A	_			_	_			Х	Х			Х	Х	5%
Powercore ^a	Cry1A.105 Cry2Ab2	х	Х	Х	Х	Х	Х	х				CEW WBC	Х	Х	^a 5%
Powercore Refuge Advanced b	Cry1F	_						_							^b 5% in bag
QROME (Q)	Cry1Ab Cry1F	х		Х	Х	Х	Х	Х			Х	FAW WBC CRW	Х	Х	5% in bag
6 16: 3	mCry3A Cry34/35Ab1						_	<u> </u>				0514 14/00 0014			3.50/
SmartStax ^a	Cry1A.105 Cry2Ab2	X	Х	Х	Х	Х	Х	Х			Х	CEW WBC CRW	Х	Х	a 5%
Smartstax Refuge Advanced b	Cry1F Cry3Bb1														^b 5% in bag
SmartStax RIB Complete b Trecepta a	Cry34/35Ab1 Cry1A.105 Cry2Ab2	 ,		.,	.,		,,	<u> </u>	Х	,,			· · ·		^a 5%
Trecepta RIB Complete b	Vip3A	×	Х	Х	Х	Х	Х	X	Х	X			Х		^b 5% in bag
TRIsect (CHR)	Cry1F mCry3A	х		~	Х			V			Х	FAW SWCB WBC	Х	Х	20%
Thiseet (Clin)	Ciyii iliciyaA	 ^		^	^	۸	^	^			^	CRW	^	^	20/0
VT Double PRO ^a	Cry1A.105 Cry2Ab2	┢	х	х	х	х	х	x				CEW	Х		a 5%
VT Double PRO RIB Complete ^b	2.,2255 0.,27102		~	î	î	^	^	ľ					ı ^		^b 5% in bag
VT Triple PRO ^c	Cry1A.105 Cry2Ab2		Х	х	Х	Х	Х	Х			Х	CEW CRW	Х		c 20%
VT Triple PRO RIB Complete d	Cry3Bb1					-		Ü							d 10% in bag
Yieldgard Corn Borer (YGCB)	Cry1Ab			х			Х	Х					х		20%
Yieldgard Rootworm (YGRW)	Cry3Bb1										Х	CRW	Х		20%
Yieldgard VT Triple	Cry1Ab Cry3Bb1			Х			Х	Х			Х	CRW	Х		20%